

# Premium Cataract Solutions



Top Ten Habits of the  
Successful Crystalens Surgeon

Harvey Carter, MD  
Carter Eye Center  
Dallas, Texas

# Premium Cataract Solutions

## 1. Total Commitment to Refractive Lens Implant Surgery

- Surgeon
- Staff
- Equipment
- Outcomes
- Continuous quality improvement, consistency



# Premium Cataract Solutions

## 2. Pre-Op Measurements

- Manual Keratometry
- Automated Keratometry
- Immersion Biometry
- IOL Master Biometry
- Multiple IOL power calculations



# Premium Cataract Solutions



## 3. Expectation management and targeting


- Target plano with the HD-500
- Near VA improves over time

# Premium Cataract Solutions

## 4. Watertight incisions



- Paracentesis
- Fibrin sealed near clear corneal incision, implant power exchange easier if needed within first six weeks, great with old RK incisions
- Post op cycloplegics not needed



# Premium Cataract Solutions



## 5. Capsulorhexis

- 5.5 – 6.0 mm or smaller, mine is consistently about 4.9 mm
- Leave as much anterior capsule covering plate haptics as possible

# Premium Cataract Solutions



## 6. Meticulous cortical cleanup


- Vacuum anterior capsule only if easily done

# Premium Cataract Solutions

## 7. Consistent AIOL positioning at time of surgery

- Vertical position is easiest for post op evaluation
- Round haptic to the right
- Rotate the AIOL at end of case with I/A tip AFTER viscoelastic removed from behind the optic





# Premium Cataract Solutions



## 8. Meticulous astigmatism control

- Treat corneal astigmatism as low as 0.50 diopters

# Premium Cataract Solutions



9. Longer term steroid and NSAID therapy
- Steroid and NSAID drop therapy QID for two weeks, then BID for eight weeks, for a TOTAL of Ten weeks
  - Blood aqueous barrier does not restabilize for 8 – 10 weeks after intraocular surgery no matter how much the patient pays

# Premium Cataract Solutions

## 10. Enhancement Strategy



- AIOL exchanges for power miss only up to six weeks post op
- No YAG's before twelve weeks post op, BAB not restabilized for 8-10 weeks, CCS has not stopped until 8-10 weeks post op
- No LVC until after YLPC done
- Finish the job refractively and do no more when the patient is 20/HAPPY

# Premium Cataract Solutions



# Thank You!